



familial erythrocytosis

Familial erythrocytosis is an inherited condition characterized by an increased number of red blood cells (erythrocytes). The primary function of these cells is to carry oxygen from the lungs to tissues and organs throughout the body. Signs and symptoms of familial erythrocytosis can include headaches, dizziness, nosebleeds, and shortness of breath. The excess red blood cells also increase the risk of developing abnormal blood clots that can block the flow of blood through arteries and veins. If these clots restrict blood flow to essential organs and tissues (particularly the heart, lungs, or brain), they can cause life-threatening complications such as a heart attack or stroke. However, many people with familial erythrocytosis experience only mild signs and symptoms or never have any problems related to their extra red blood cells.

Frequency

Familial erythrocytosis is a rare condition; its prevalence is unknown.

Genetic Changes

Familial erythrocytosis can result from mutations in the *EPOR*, *VHL*, *EGLN1*, or *EPAS1* gene. Researchers define four types of familial erythrocytosis, ECYT1 through ECYT4, based on which of these genes is altered.

The *EPOR* gene provides instructions for making a protein known as the erythropoietin receptor, which is found on the surface of certain blood-forming cells in the bone marrow. Erythropoietin is a hormone that directs the production of new red blood cells. Erythropoietin fits into the receptor like a key into a lock, triggering signaling pathways that lead to the formation of red blood cells. Mutations in the *EPOR* gene cause the erythropoietin receptor to be turned on for an abnormally long time after attaching to erythropoietin. The overactive receptor signals the production of red blood cells even when they are not needed, which results in an excess of these cells in the bloodstream. When familial erythrocytosis is caused by mutations in the *EPOR* gene, it is known as ECYT1.

The proteins produced from the *VHL*, *EGLN1*, and *EPAS1* genes are also involved in red blood cell production; they each play a role in regulating erythropoietin. The protein produced from the *EPAS1* gene is one component of a protein complex called hypoxia-inducible factor (HIF). When oxygen levels are lower than normal (hypoxia), HIF activates genes that help the body adapt, including the gene that provides instructions for making erythropoietin. Erythropoietin stimulates the production of more red blood cells to carry oxygen to organs and tissues. The proteins produced from the *VHL* and *EGLN1* genes indirectly regulate erythropoietin by controlling the amount of available

HIF. Mutations in any of these three genes can disrupt the regulation of red blood cell formation, leading to an overproduction of these cells. When familial erythrocytosis results from *VHL* gene mutations it is known as ECYT2; when the condition is caused by *EGLN1* gene mutations it is called ECYT3; and when the condition results from *EPAS1* gene mutations it is known as ECYT4.

Researchers have also described non-familial (acquired) forms of erythrocytosis. Causes of acquired erythrocytosis include long-term exposure to high altitude, chronic lung or heart disease, episodes in which breathing slows or stops for short periods during sleep (sleep apnea), and certain types of tumors. Another form of acquired erythrocytosis, called polycythemia vera, results from somatic (non-inherited) mutations in other genes involved in red blood cell production. In some cases, the cause of erythrocytosis is unknown.

Inheritance Pattern

Familial erythrocytosis can have different inheritance patterns depending on the gene involved.

When the condition is caused by mutations in the *EPOR*, *EGLN1*, or *EPAS1* gene, it has an autosomal dominant pattern of inheritance. Autosomal dominant inheritance means one copy of the altered gene in each cell is sufficient to cause the disorder. Most affected individuals inherit the altered gene from one affected parent.

When familial erythrocytosis is caused by mutations in the *VHL* gene, it has an autosomal recessive pattern of inheritance. Autosomal recessive inheritance means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- benign familial polycythemia
- congenital erythrocytosis
- familial polycythemia
- hereditary erythrocytosis
- primary familial polycythemia

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Erythrocytosis, familial, 2
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1837915/>
- Genetic Testing Registry: Erythrocytosis, familial, 3
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1853286/>
- Genetic Testing Registry: Erythrocytosis, familial, 4
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C2673187/>
- Genetic Testing Registry: Familial erythrocytosis, 1
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1851490/>

Other Diagnosis and Management Resources

- GeneReview: Primary Familial and Congenital Polycythemia
<https://www.ncbi.nlm.nih.gov/books/NBK395975>
- MedlinePlus Encyclopedia: Erythropoietin Test
<https://medlineplus.gov/ency/article/003683.htm>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Erythropoietin Test
<https://medlineplus.gov/ency/article/003683.htm>
- Health Topic: Blood Disorders
<https://medlineplus.gov/blooddisorders.html>

Genetic and Rare Diseases Information Center

- Familial erythrocytosis, 1
<https://rarediseases.info.nih.gov/diseases/9843/familial-erythrocytosis-1>

Educational Resources

- Disease InfoSearch: Familial Erythrocytosis, 1
<http://www.diseaseinfosearch.org/Familial+Erythrocytosis%2C+1/2745>
- Merck Manual Consumer Version: Red Blood Cells
<http://www.merckmanuals.com/home/blood-disorders/biology-of-blood/components-of-blood>
- Orphanet: Primary familial polycythemia
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=90042

Patient Support and Advocacy Resources

- American Heart Association
<http://www.heart.org/>
- American Society of Hematology
<http://www.hematology.org/Patients/Blood-Disorders.aspx>

GeneReviews

- Primary Familial and Congenital Polycythemia
<https://www.ncbi.nlm.nih.gov/books/NBK395975>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Polycythemia%5BMAJR%5D%29+AND+%28%28familial+erythrocytosis%5BTIAB%5D%29+OR+%28familial+polycythemia%5BTIAB%5D%29+OR+%28congenital+erythrocytosis%5BTIAB%5D%29+OR+%28congenital+polycythemia%5BTIAB%5D%29%29+NOT+%28polycythemia+vera%5BMAJR%5D%29+AND+english%5BIa%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

OMIM

- ERYTHROCYTOSIS, FAMILIAL, 1
<http://omim.org/entry/133100>
- ERYTHROCYTOSIS, FAMILIAL, 2
<http://omim.org/entry/263400>

- ERYTHROCYTOSIS, FAMILIAL, 3
<http://omim.org/entry/609820>
- ERYTHROCYTOSIS, FAMILIAL, 4
<http://omim.org/entry/611783>

Sources for This Summary

- Cario H. Childhood polycythemia/erythrocytoses: classification, diagnosis, clinical presentation, and treatment. *Ann Hematol.* 2005 Mar;84(3):137-45. Epub 2004 Dec 15. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15599750>
- Hodges VM, Rainey S, Lappin TR, Maxwell AP. Pathophysiology of anemia and erythrocytosis. *Crit Rev Oncol Hematol.* 2007 Nov;64(2):139-58. Epub 2007 Jul 25. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17656101>
- Huang LJ, Shen YM, Bulut GB. Advances in understanding the pathogenesis of primary familial and congenital polycythemia. *Br J Haematol.* 2010 Mar;148(6):844-52. doi: 10.1111/j.1365-2141.2009.08069.x. Epub 2010 Jan 20. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20096014>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2864346/>
- Hussein K, Percy M, McMullin MF. Clinical utility gene card for: familial erythrocytosis. *Eur J Hum Genet.* 2012 May;20(5). doi: 10.1038/ejhg.2011.252. Epub 2012 Jan 25.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22274579>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3330227/>
- Lee FS, Percy MJ. The HIF pathway and erythrocytosis. *Annu Rev Pathol.* 2011;6:165-92. doi: 10.1146/annurev-pathol-011110-130321. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20939709>
- McMullin MF. HIF pathway mutations and erythrocytosis. *Expert Rev Hematol.* 2010 Feb;3(1):93-101. doi: 10.1586/ehm.09.68. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21082936>
- Percy MJ, Lee FS. Familial erythrocytosis: molecular links to red blood cell control. *Haematologica.* 2008 Jul;93(7):963-7. doi: 10.3324/haematol.13250.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18591620>
- Percy MJ, Rumi E. Genetic origins and clinical phenotype of familial and acquired erythrocytosis and thrombocytosis. *Am J Hematol.* 2009 Jan;84(1):46-54. doi: 10.1002/ajh.21313. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19006225>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/familial-erythrocytosis>

Reviewed: August 2012

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services